Refine Search

Search Results -

Term	Documents
(56 AND 63).PGPB,USPT.	1
(L56 AND L63).PGPB,USPT.	1

Database:
- US Pre-Grant Publication Full-Text Database
- US Patents Full-Text Database
- US OCR Full-Text Database
- EPO Abstracts Database
- JPO Abstracts Database
- Derwent World Patents Index
- IBM Technical Disclosure Bulletins

Search: L65

[Refine Search] [Recall Text] [Clear] [Interrupt]

Search History

DATE: **Monday, November 20, 2006** **Purge Queries** Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
	DB=PGPB,USPT; PLUR=YES; OP=OR		
L65	l56 and l63	1	L65
L64	l56 and l62	18	L64
L63	(711/152,168-173)[CCLS]	5341	L63
L62	(711/118-173)[CCLS]	20934	L62
L61	L56 and l4	54	L61
L60	l56 and l58	3	L60
L59	l56 and l57	12	L59
L58	(712/241)[CCLS]	293	L58
L57	(712/230-245)[CCLS]	3110	L57
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
L56	(nop) and mask$5 near25 (DISABL$4 or activat$3 or enabl$4) near35 (memor$4 or bank$1 or cache$1 or section$1 or portion$1)	150	L56

L55	(nop) near25 mask$5 near25 (DISABL$4 or activat$3 or enabl$4) near35 (memor$4 or bank$1 or cache$1 or section$1 or portion$1)	3	L55
L54	(nop) near15 mask$5 near15 (DISABL$4 or activat$3 or enabl$4)	11	L54

DB=USPT; PLUR=YES; OP=OR

L53	5893143.pn.	1	L53

DB=PGPB,USPT; PLUR=YES; OP=OR

L52	L51 and l41	3	L52
L51	(718/102-108)[CCLS]	4331	L51

DB=USPT; PLUR=YES; OP=OR

L50	6457095.pn.	1	L50
L49	L48 and multimedia	6	L49
L48	user$2 near2 whim$1	108	L48
L47	user$2 near2 whimp$1	0	L47
L46	user$2 near2 whimp	0	L46
L45	user$2 near232 whimp	0	L45

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L44	schedul$5 near12 (break$6 or stop$4 or inhibit$4 or halt$4 or suspension$1 or suspend$3) near45 pipelin$7	44	L44
L43	l41 and l5	48	L43
L42	l41 and l23	4	L42
L41	(schedul$5 or arbitrar$3 or random$3 or uncondition$3 or user or desir$6 or defin$4) near12 (lock$3 or interlock$3 or suspension$1 or suspend$6 or inhibit$4 or stop$4 or halt$3 or break$7) near17 pipelin$6	334	L41
L40	l30 near55 (test$4 or debug$5 or scan$5)	11	L40
L39	L37 not l31	104	L39
L38	L37 not l32	110	L38
L37	l30 and (test$4 or debug$5 or scan$5)	142	L37
L36	L30 and l23	4	L36
L35	L30 and l22	7	L35
L34	L30 and l21	8	L34
L33	L30 and l6	0	L33
L32	L30 and l5	45	L32
L31	L30 and l4	57	L31
L30	(schedul$5 or arbitrar$3 or random$3 or uncondition$3 or user or desir$6 or defin$4) near12 (lock$3 or interlock$3 or suspension$1 or suspend$6 or inhibit$4 or stop$4 or halt$3) near12 pipelin$6	266	L30

DB=PGPB,USPT; PLUR=YES; OP=OR

L29	l20 and l6	0	L29
L28	l20 and l5	22	L28
L27	l20 and l4	32	L27
L26	l20 and l23	3	L26
L25	l20 and l22	7	L25

L24	l20 and l21	7	L24
L23	(717/124-127, 140-167)![CCLS]	1759	L23
L22	(714/10-57)[CCLS]	13657	L22
L21	(712/242-248)![CCLS]	1467	L21

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L20	(arbitrar$3 or random$3 or uncondition$3 or user or desir$6 or defin$4) near12 (lock$3 or interlock$3 or suspension$1 or suspend$6 or inhibit$4 or stop$4 or halt$3) near12 pipelin$6	211	L20
L19	l15 not l16	57	L19
L18	L15 and l6	0	L18
L17	L15 and l5	6	L17
L16	L15 and l4	13	L16
L15	(arbitrar$3 or random$3 or uncondition$3 or user) near12 (suspension$1 or suspend$6 or inhibit$4 or stop$4 or halt$3) near12 pipelin$6	70	L15
L14	l11 not l7	2	L14
L13	L10 and l6	1	L13
L12	L10 and l5	11	L12
L11	L10 and l4	12	L11
L10	(forc$4 or uncondition$3 or overrid$3) near12 (suspension$1 or suspend$6 or inhibit$4 or stop$4 or halt$3) near12 pipelin$6	178	L10

DB=PGPB,USPT; PLUR=YES; OP=OR

L9	l3 and l6	1	L9
L8	l3 and l5	9	L8
L7	l3 and l4	10	L7
L6	(713/401,500-503,600-601)![CCLS]	3762	L6
L5	(712/203-229)[CCLS]	6874	L5
L4	(712/2-300)[CCLS]	12791	L4

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L3	(forc$4 or uncondition$3 or overrid$3) near12 (inhibit$4 or stop$4 or halt$3) near12 pipelin$6	127	L3
L2	uncondition$3 near12 (inhibit$4 or stop$4 or halt$3) near12 pipelin$6	0	L2
L1	uncondition$3 near5 (inhibit$4 or stop$4 or halt$3) near8 pipelin$6	0	L1

END OF SEARCH HISTORY

IEEE Xplore RELEASE 2.1

Welcome United States Patent and Trademark Office

Search Results   BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "(((nop) <and> (disabl*, enabl*, activat*) <near/15> (memor*, bank*))<in>metadat..."   ✉ e-mail
Your search matched **1** of **1432467** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

(((nop) <and> (disabl*, enabl*, activat*) <near/15> (memor*, bank*))<in>metadata)   Search >

☐ Check to search only within this results set

Display Format: ⦿ Citation   ○ Citation & Abstract

view selected items   Select All Deselect All

☐   1. **Higher performance and lower power enhancements to VLIW architectures**
Gass, W.;
Signal Processing Systems, 2001 IEEE Workshop on
26-28 Sept. 2001 Page(s):157
Digital Object Identifier 10.1109/SIPS.2001.957342

AbstractPlus | Full Text: PDF(45 KB)   IEEE CNF
Rights and Permissions

Help   Contact Us   Privac